

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Teak Treat
Product code	: WP 1307
Type of product	: Aqueous mixture based on :Wood preservatives
Synonyms	: Boroquat
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Protection of teak decks and other hardwoods from mould, fungi and algae.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors
9 Crane Way, Woolsbridge Ind. Park,
Three Legged Cross, Wimborne, BH21 6FA - United Kingdom
T +44 1202 823699 - F +44 1202 813863
info@wessexchemicalfactors.co.uk - www.wessexchemicalfactors.co.uk

1.4. Emergency telephone number

Emergency number : 0044 7973629367

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Reproductive toxicity, Category 1B	H360
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

May damage fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazardous ingredients : disodium octaborate

Hazard statements (CLP) : H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H360 - May damage fertility or the unborn child.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of water.

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
disodium octaborate	(CAS-No.) 12008-41-2 (EC-No.) 234-541-0	3 - 10	Repr. 1B, H360FD
propane-1,2-diol	(CAS-No.) 57-55-6 (EC-No.) 200-338-0	3 - 10	Not classified
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	(EC-No.) 939-350-2	0.1 - 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
didecyldimethylammonium chloride	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2 (EC Index-No.) 612-131-00-6	0.1 - 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
propan-2-ol, isopropyl alcohol, isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	0.1 - 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
ethanol, ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May damage fertility or the unborn child.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use. Store locked up.

Incompatible products : Strong bases. Strong acids. Strong oxidizing agents.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane-1,2-diol (57-55-6)		
United Kingdom	WEL TWA (mg/m ³)	474 mg/m ³ (8 hour TWA, total vapour and particulates, 10 mg/m ³ (8 hour TWA, particulates)
United Kingdom	WEL TWA (ppm)	150 ppm (8 hour TWA, total vapour and particulates)
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³ (8 hours)
United Kingdom	WEL TWA (ppm)	400 ppm (8 hours)
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³ (15 minutes)

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)		
United Kingdom	WEL STEL (ppm)	500 ppm (15 minutes)
United Kingdom	Remark (WEL)	Can be absorbed through the skin
ethanol, ethyl alcohol (64-17-5)		
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m ³)	5760 mg/m ³
United Kingdom	WEL STEL (ppm)	3000 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure. Gloves. Safety glasses.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.054 g/cm ³

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

disodium octaborate (12008-41-2)	
LD50 oral rat	2550 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight
didecyldimethylammonium chloride (7173-51-5)	
LD50 oral rat	329 mg/kg bodyweight
LD50 dermal rabbit	3342 mg/kg
propane-1,2-diol (57-55-6)	
LD50 oral rat	20000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 inhalation rat (mg/l)	> 25 mg/l Vapour (6 hours)
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
LD50 oral rat	397.5 mg/kg
LD50 dermal rabbit	3412 mg/kg
ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg bodyweight
LD50 oral	3450 mg/kg (Mouse)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity - Description	: Not classified

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

disodium octaborate (12008-41-2)

LC50 fish 1	600 mg/l Chinook salmon (<i>Oncorhynchus tshawytscha</i>)
-------------	---

didecyldimethylammonium chloride (7173-51-5)

LC50 fish 1	0.49 mg/l Zebrafish (<i>Danio rerio</i>)
EC50 Daphnia 1	0.029 mg/l
ErC50 (algae)	0.062 mg/l
NOEC chronic fish	0.56 mg/l
NOEC chronic algae	0.013 mg/l

propane-1,2-diol (57-55-6)

LC50 fish 1	40613 mg/l Rainbow trout (<i>Oncorhynchus mykiss</i>)
EC50 Daphnia 1	43500 mg/l
EC50 96h algae (1)	19000 mg/l

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)

LC50 fish 1	9640 mg/l Fathead Minnow (<i>Pimephales promelas</i>)
EC50 72h algae (1)	> 100 mg/l

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides

LC50 fish 1	0.515 mg/l Bluegill sunfish (<i>Lepomis macrochirus</i>)
EC50 Daphnia 1	0.016 mg/l
ErC50 (algae)	0.207 mg/l
NOEC chronic fish	0.456 mg/l
NOEC chronic crustacea	0.0048 mg/l
NOEC chronic algae	0.032 mg/l

ethanol, ethyl alcohol (64-17-5)

LC50 fish 1	13000 mg/l <i>Salmo Gairdneri</i>
-------------	-----------------------------------

12.2. Persistence and degradability

Teak Treat

Persistence and degradability	Not established.
-------------------------------	------------------

disodium octaborate (12008-41-2)

Persistence and degradability	The substance decomposes.
-------------------------------	---------------------------

didecyldimethylammonium chloride (7173-51-5)

Persistence and degradability	Readily biodegradable.
Biodegradation	69 % (in 28 days)

propane-1,2-diol (57-55-6)

Persistence and degradability	Readily biodegradable.
Chemical oxygen demand (COD)	1.53 g O ₂ /g substance
ThOD	1.68 g O ₂ /g substance

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
Persistence and degradability	Readily biodegradable.
Biodegradation	63 % (in 28 days)

ethanol, ethyl alcohol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	37.74 % ThOD

12.3. Bioaccumulative potential

Teak Treat	
Bioaccumulative potential	Not established.

disodium octaborate (12008-41-2)	
Bioaccumulative potential	Not established.

didecyldimethylammonium chloride (7173-51-5)	
Bioaccumulative potential	Low.

propane-1,2-diol (57-55-6)	
Bioconcentration factor (BCF REACH)	0.09
Log Pow	-1.07
Bioaccumulative potential	No bioaccumulation.

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
Log Pow	0.05
Bioaccumulative potential	No bioaccumulation.

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
Log Kow	2.75
Bioaccumulative potential	Low.

ethanol, ethyl alcohol (64-17-5)	
Log Pow	-0.32
Bioaccumulative potential	Low.

12.4. Mobility in soil

propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.

ethanol, ethyl alcohol (64-17-5)	
Surface tension	24.5 mN/m
Ecology - soil	Product evaporates when in contact with the air.

12.5. Results of PBT and vPvB assessment

Component	
disodium octaborate (12008-41-2)	PBT: not relevant – no registration required
propan-2-ol, isopropyl alcohol, isopropanol (67-63-0)	PBT: not relevant – no registration required vPvB: not relevant – no registration required
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides ()	PBT: not relevant – no registration required vPvB: not relevant – no registration required
propane-1,2-diol (57-55-6)	PBT: not relevant – no registration required

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to Dispose in a safe manner in accordance with local/national regulations.
 Ecology - waste materials : Avoid release to the environment.

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 3082
UN-No. (IMDG)	: Not regulated
UN-No. (IATA)	: Not regulated
UN-No. (ADN)	: Not regulated
UN-No. (RID)	: Not regulated


14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9



IMDG

Transport hazard class(es) (IMDG)	: Not regulated
-----------------------------------	-----------------

IATA

Transport hazard class(es) (IATA)	: Not regulated
-----------------------------------	-----------------

ADN

Transport hazard class(es) (ADN)	: Not regulated
----------------------------------	-----------------

RID

Transport hazard class(es) (RID)	: Not regulated
----------------------------------	-----------------

14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport


Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



EAC code : •3Z

- Transport by sea

Not regulated

- Air transport

Not regulated

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2

Teak Treat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H360	May damage fertility or the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product